

Mini GPRS Guard Tour System



GTP-6700

Features

- > RFID reading

- > GPRS real-time data transmission

- > SOS alert

- > Mini and comfortable size

Specifications

Reading Method:

Auto-induction, free from pressing any button

Sensor Frequency:

125kHz EM ID tag

Material:

ABS plastic+rubber handle

Direction:

LED+Vibration

Storage capacity:

80,000pcs

Impact record capacity:

32,000pcs

Battery:

1200 mAh built-in li-ion(rechargeable) battery

Dimension:

82mm x 52mm x 22mm

Communication:

GPRS

SOS:

Alerting via a panic button

Working consumption:

60 mA

Working temperature:

-20℃ to 70℃

Working humidity:

30% to 95%

IP rating:

IP 65

USB:

Magnet Pogo Pin USB port



RFID



GPRS



SOS




Mini Size


Net weight:

73g

Accessories included with the reader:




USB cable



User manual

Accessories recommended use with the reader:



Checkpoint




Staff card



PC/Laptop



Printer



S4A Industrial Co., Limited

Address: The 2nd floor, Jinmin'an Industrial Zone, #529, Bulong Rd.
Bantian St. Longgang Dist. Shenzhen, PRC.. CN 518131



Tel: +86 755 29450011

www.s4a-access.com